


Scenario # 411: A CLEC orders a record change on 1 residential unbundled analog port.

Scenario Description:

A CLEC orders a record change on 1 residential unbundled analog port.

Network Configuration:



Scenario Summary:

REQTYPE	F
ACT TYPE	R
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	X

Scenario # 412: A CLEC orders a suspend on 10 business unbundled analog ports.

Scenario Description:

A CLEC orders a suspend on 10 business unbundled analog ports.

Network Configuration:



Scenario Summary:

REQTYPE	F
ACT TYPE	SS
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	
Normal Volume	
Peak Volume	
EDI	X
TAG	X

Test Case Requirements:


Supplement	
Errors	X
Cancel	
Directory Listing	

Scenario # 413: A CLEC orders a suspend on 30 business unbundled analog ports.

Scenario Description:

A CLEC orders a suspend on 30 business unbundled analog ports.

Network Configuration:



Scenario Summary:

REQTYPE	F
ACT TYPE	SS
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	
Errors	X
Cancel	
Directory Listing	

Scenario # 414: A CLEC orders a suspend on 2 residential unbundled analog ports.

Scenario Description:

A CLEC orders a suspend on 2 residential unbundled analog ports.

Network Configuration:



Scenario Summary:

REQTYPE	F
ACT TYPE	SS
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	
Normal Volume	
Peak Volume	
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	

Scenario # 415: A CLEC orders a restore on 10 business unbundled analog ports.

Scenario Description:

A CLEC orders a restore on 10 business unbundled analog ports.

Network Configuration:



Scenario Summary:

REQTYPE	F
ACT TYPE	RS
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	X
Normal Volume	
Peak Volume	
EDI	X
TAG	X

Test Case Requirements:


Supplement	
Errors	X
Cancel	
Directory Listing	

Scenario # 416: A CLEC orders a restore on 30 business unbundled analog ports.

Scenario Description:

A CLEC orders a restore on 30 business unbundled analog ports.

Network Configuration:



Scenario Summary:

REQTYPE	F
ACT TYPE	RS
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	
Peak Volume	
EDI	X
TAG	X

Test Case Requirements:


Supplement	
Errors	X
Cancel	
Directory Listing	

Scenario # 417: A CLEC orders a restore on 2 residential unbundled analog ports.

Scenario Description:

A CLEC orders a restore on 2 residential unbundled analog ports.

Network Configuration:



Scenario Summary:

REQTYPE	F
ACT TYPE	RS
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	
Normal Volume	
Peak Volume	
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	X
Directory Listing	

Scenario # 418: An existing CLEC business customer is going out of business and disconnects all 10 unbundled analog ports.

Scenario Description:

An existing CLEC business customer is going out of business. The CLEC orders BST to disconnect all 10 of its customer's unbundled analog ports.

Network Configuration:



Scenario Summary:

REQTYPE	F
ACT TYPE	D
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	
Normal Volume	
Peak Volume	
EDI	X
TAG	X

Test Case Requirements:


Supplement	
Errors	X
Cancel	
Directory Listing	

Scenario # 419: An existing CLEC residential customer is moving and disconnects both unbundled analog ports.

Scenario Description:

An existing CLEC residential customer is moving to another state. The CLEC orders BST to disconnect both of its customer's unbundled analog ports from BST.

Network Configuration:



Scenario Summary:

REQTYPE	F
ACT TYPE	D
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	X
Normal Volume	
Peak Volume	
EDI	X
TAG	X

Test Case Requirements:


Supplement	
Errors	X
Cancel	
Directory Listing	

Scenario # 420: A CLEC orders 10 new business unbundled analog loop-port combinations from BST.

Scenario Description:

A CLEC orders 10 new business unbundled analog loop-port combinations from BST in support of a new business customer's service request.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	A
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	X
Directory Listing	X

Scenario # 421: A CLEC orders 30 new business unbundled analog loop-port combinations from BST.

Scenario Description:

A CLEC orders 30 new business unbundled analog loop-port combinations from BST in support of a new business customer's service request.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	A
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	
Errors	X
Cancel	X
Directory Listing	X

Scenario # 422: A CLEC orders 2 new residential unbundled analog loop-port combinations from BST.

Scenario Description:

A CLEC orders 2 new residential unbundled analog loop-port combinations from BST in support of a new residential customer's service request.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	A
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	X
Directory Listing	X

Scenario # 423: A CLEC orders 10 business unbundled analog loop-port combinations from BST.

Scenario Description:

A CLEC orders 10 business unbundled analog loop-port combinations from BST in support of a full migration service request from an existing BST business customer. The business customer lines are migrated "as-specified" to the CLEC.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	V
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	
Errors	X
Cancel	
Directory Listing	X

Scenario # 424: A CLEC orders 30 business unbundled analog loop-port combinations in support of a full migration service request from an existing BST business customer.

Scenario Description:

A CLEC orders 30 business unbundled analog loop-port combinations in support of a full migration service request from an existing BST business customer. The business customer lines are emigrated "as-specified" to the CLEC.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	V
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	X
Directory Listing	X

Scenario # 425: A CLEC orders 2 residential unbundled analog loop-port combinations in support of a full migration service request from an existing BST residential customer.

Scenario Description:

A CLEC orders 2 residential unbundled analog loop-port combinations in support of a full migration service request from an existing BST residence customer. The recieved customer lines are migrated "as-specified" to the CLEC.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	V
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	X
Directory Listing	X

Scenario # 426: A CLEC orders 10 business unbundled analog loop-port combinations for one of its resale business customers.

Scenario Description:

A CLEC orders 10 business unbundled analog loop-port combinations for one of its resale business customers.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	V
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	
Errors	X
Cancel	X
Directory Listing	X

Scenario # 427: A CLEC orders 30 business unbundled analog loop-port combinations from BST for one of its resale business customers.

Scenario Description:

A CLEC orders 30 business unbundled analog loop-port combinations from BST for one of its resale business customers.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	V
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	
Errors	X
Cancel	
Directory Listing	X

Scenario # 428: A CLEC orders 2 residential unbundled analog loop-port combinations from BST for one of its resale residential customers.

Scenario Description:

A CLEC orders 2 residential unbundled analog loop-port combinations from BST for one of its resale residential customers.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	V
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	X
Directory Listing	X

Scenario # 429: A CLEC orders a change on 10 business unbundled analog loop-port combinations in response to a CLEC customer complaint.

Scenario Description:

A CLEC orders a change on 10 business unbundled analog loop-port combinations in response to a CLEC customer complaint.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	C
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	X
Directory Listing	

Scenario # 430: A CLEC orders a change on 30 business unbundled analog loop-port combinations in response to a CLEC customers complaint.

Scenario Description:

A CLEC orders a change on 30 business unbundled analog loop-port combinations in response to a CLEC customer complaint.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	C
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	
Peak Volume	
EDI	X
TAG	X

Test Case Requirements:


Supplement	
Errors	X
Cancel	
Directory Listing	

Scenario # 431: A CLEC orders a change on 1 residential unbundled analog loop - port combinations in response to a CLEC customer complaint.

Scenario Description:

A CLEC orders a change on 1 residential unbundled analog loop-port combinations in response to a CLEC customer complaint.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	C
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	
Errors	X
Cancel	
Directory Listing	

Scenario # 432: An existing CLEC business customer moves from the 3rd to the 5th floor of an office complex. The CLEC orders an outside move on all 10 of its customer's unbundled analog loop-port combinations from BST.

Scenario Description:

An existing CLEC business customer moves from the 3rd to the 5th floor of an office complex. The CLEC orders an inside move on all 10 of its customer's unbundled analog loop-port combinations from BST.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	M
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	X
Directory Listing	X

Scenario # 433: *An existing CLEC residential customer moves from the 2nd to the 3rd floor in an apartment building. The CLEC orders an inside move on its customer's unbundled analog loop-port combination from BST.*

Scenario Description:

An existing CLEC residential customer moves from the 2nd to the 3rd floor in an apartment building. The CLEC orders an inside move on its customer's unbundled analog loop-port combination from BST.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	M
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	
Cancel	X
Directory Listing	X

Scenario # 434: An existing CLEC business customer moves from the 3rd to the 5th floor in an office complex. The CLEC orders an outside move on all 10 of its customer's unbundled analog loop-port combinations from BST.

Scenario Description:

An existing CLEC business customer moves from the 3rd to the 5th floor in an office complex. The CLEC orders an outside move on all 10 of its customer's unbundled analog loop-port combinations from BST.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	T
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	X
Directory Listing	X

Scenario # 435: *An existing CLEC residential customer moves across town. The CLEC orders an outside move on its customer's unbundled analog loop-port combinations from BST.*

Scenario Description:

An existing CLEC business customer moves from the 3rd to the 5th floor in an office complex. The CLEC orders an outside move on its customer's unbundled analog loop-port combinations from BST.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	T
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:

Supplement	
Errors	X
Cancel	
Directory Listing	X


Test Scenario -

Scenario # 436: A CLEC orders a record change on 10 business analog loop-port combinations.

Scenario Description:

A CLEC orders a record change on 10 business analog loop-port combinations.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	R
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:

Supplement	X
Errors	X
Cancel	X
Directory Listing	